

END CAP SOLUTION ROAD FRONT

Endcap Solution			Convertible Road wheels						Convertible Road hubs				
		Kit Art. No.	1100 DICUT® db	1400 DICUT® db	1600 DICUT® db	1400 SPLINE® db	1600 SPLINE® db	1800 SPLINE® db	180 straightpull db	240s straightpull Road db Center Lock	240s Classic Road db CenterLock	350 straightpull Road db Center Lock	350 Classic Road db CenterLock
Convert into 5 mm Quick release	5 / 100 mm Road disc brake	HWGXXX00S885ZS							○				
	5 / 100 mm Road disc brake (17 mm)	HWGXXX00S6318S		●		●							
	5 / 100 mm Road disc brake (17 mm) Aero	HWGXXX0004774S	●										
	5 / 100 mm Road disc brake (240s)	HWGXXX0002328S								●	●		
	5 / 100 mm Road disc brake (350 / 370)	HWGXXX00S3801S			●		●	●				○	○
Convert into 9 mm Thru bolt	9 / 100 mm Road disc brake (17 mm)	HWGXXX00S7567S		○		○							
	9 / 100 mm Road disc brake (240s 18 mm)	HWGXXX0002326S								○	○		
	9 / 100 mm Road disc brake (350 / 370)	HWGXXX00S3803S			○							○	○
Convert into 12 mm Thru axle	12 / 100 mm Road disc brake (17 mm)	HWGXXX00S7564S		●		●							
	12 / 100 mm Road disc brake (240s)	HWGXXX00S7000S								●	●		
	12 / 100 mm Road disc brake (350 / 370)	HWGXXX00S6885S			●		●	●				●	●
Convert into 15 mm Thru axle	15 / 100 mm Road disc brake (17 mm)	HWGXXX00S6283S				●							
	15 / 100 mm Road disc brake (18 mm)	HWGXXX00S4468S								○	○		
	15 / 100 mm Road disc brake (350 / 370)	HWGXXX0004785S			●		●	●				○	○

- = Standard
- = Convertible with included accessories
- = Option, sold separately

This information is valid for MY 2019. Information from previous modelyears please find on our workbook / techbook at www.dtswiss.com

END CAP SOLUTION ROAD REAR

Endcap Solution			Convertible Road wheels						Convertible Road hubs				
		Kit Art. No.	1100 DICUT® db	1400 DICUT® db	1600 DICUT® db	1400 SPLINE® db	1600 SPLINE® db	1800 SPLINE® db	180 straightpull db	240s straightpull Road db Center Lock	240s Classic Road db Center Lock	350 straightpull Road db Center Lock	350 Classic Road db Center Lock
Convert into 5 mm Quick release	5 / 130 mm for 3-Pawl Sram XDR Rotor	HWGXXX00S5483S						○		○	○	○	○
	5 / 130 mm for Ratchet Sram XDR Rotor	HWGXXX00S5483S	○	○	○	○	○			○	○	○	○
	5 / 130 mm for Ratchet Sram XDR Rotor								○				
	5 / 130 mm for Ratchet Shimano Road Rotor	HWGXXX00S7446S							○				
	5 / 135 mm for 3-Pawl Sram XDR Rotor	HWGXXX00S5483S								○	○	○	○
	5 / 135 mm for 3-Pawl Shimano Road Rotor	HWGXXX0006383S						●					
	5 / 135 mm for Ratchet Sram XDR Rotor	HWGXXX00S5483S	○	○	○	○	○			○	○	○	○
	5 / 135 mm for Ratchet Shimano Road Rotor	HWGXXX0006383S	●	●	●	●	●			●		○	
	5 / 135 mm for Ratchet Shimano Road Rotor	HWGXXX0002777S									●		○
Convert into 10 mm Thru bolt	10 / 135 mm for 3-Pawl Shimano Road Rotor	HWGXXX0006560S						○					
	10 / 135 mm for Ratchet Shimano Road Rotor	HWGXXX0004634S									○		○
	10 / 135 mm for Ratchet Shimano Road Rotor	HWGXXX0006560S	○	○	○	○	○			○		○	
Convert into 12 mm Thru axle	12 / 135 mm for 3-Pawl Shimano Road Rotor	HWGXXX0007569S						○					
	12 / 135 mm for Ratchet Shimano Road Rotor	HWGXXX0003910S									○		○
	12 / 135 mm for Ratchet Shimano Road Rotor	HWGXXX0007569S	○	○	○	○	○			○		○	
	12 / 142 mm for 3-Pawl Shimano Road Rotor	HWGXXX0006333S						●					
	12 / 142 mm for Ratchet Shimano Road Rotor	HWGXXX0003525S									●		●
	12 / 142 mm for Ratchet Shimano Road Rotor	HWGXXX0006333S	●	●	●	●	●			●		●	
	12 / 142 mm for Ratchet Campagnolo Rotor	HWGXXX0004618S							○		○		○
	12 / 142 mm for Ratchet Campagnolo Rotor	HWGXXX0004617S	○	○	○	○	○			○		○	

- = Standard
- = Convertible with included accessories
- = Option, sold separately

This information is valid for MY 2019. Information from previous modelyears please find on our workbook / techbook at www.dtswiss.com

END CAP SOLUTION MTB FRONT

Endcap Solution			Convertible MTB wheels													Convertible MTB hubs												
		Kit Art. No.	XRC 1200 SPLINE® (27.5, 29) ¹⁾	XR 1501 SPLINE® ONE (26, 27.5, 29) ¹⁾	X 1700 SPLINE® TWO (27.5, 29) ¹⁾	X 1900 SPLINE® (27.5, 29)	XMC 1200 SPLINE® (27.5, 29) ¹⁾	XM 1501 SPLINE® ONE (26, 27.5, 29) ¹⁾	M 1700 SPLINE® TWO (27.5, 29) ¹⁾	M 1900 SPLINE® (27.5, 29)	EXC 1200 SPLINE® (27.5, 29)	EX 1501 SPLINE® ONE (26, 27.5, 29)	E 1700 SPLINE® TWO (27.5, 29)	E 1900 SPLINE® (27.5, 29)	FR 1950 CLASSIC (27.5)	240s straightpull MTB db Center Lock	240s straightpull MTB db IS ¹⁾	240s straightpull MTB db IS oversize ¹⁾	240s Classic MTB db Center Lock fifteen	240s Classic MTB db IS	240s Classic MTB db IS oversize	350 straightpull MTB db Center Lock	350 straightpull MTB db IS	350 Classic MTB db Center Lock (15 mm)	350 Classic MTB db IS (15mm)	350 Classic MTB db Center Lock (5 mm)	350 Classic MTB db IS (5 mm)	
Convert into 5 mm Quick release	5 / 100 mm MTB disc brake	not available																			●							
	5 / 100 mm MTB disc brake Center Lock (17 mm)	HWGXXX00S6318S		○				○				○																
	5 / 100 mm MTB disc brake fifteen	HWGXXX0002328S														●	●		○									
	5 / 100 mm MTB oversize	HWYXXX00S2479S																				○						
	5 / 100 mm MTB (350 / 370)	HWGXXX00S3801S			○	●			○	●			○	●									○	○	○	○	○	●
Convert into 9 mm Thru bolt	9 / 100 mm MTB disc brake	HWGXXX0001919S																			○							
	9 / 100 mm MTB disc brake (17 mm)	HWGXXX00S7567S		○				○				○																
	9 / 100 mm MTB fifteen	HWGXXX0002326S															○	○		○								
	9 / 100 mm MTB oversize	HWGXXX0002478S																				○						
	9 / 100 mm MTB (350 / 370)	HWGXXX00S3803S			○	○			○	○			○	○									○	○	○	○		
Convert into 15 mm Thru axle	15 / 100 mm MTB fifteen	HWGXXX00S4468S														●	●		●									
	15 / 100 mm MTB disc brake (17 mm)	HWGXXX00S6283S		●				●				●																
	15 / 100 mm MTB oversize	HWGXXX00S4470S														○					●							
	15 / 100 mm MTB disc brake (350 / 370)	HWGXXX0004785S			●	●			●	●			●	●									●	●	●	●		
Convert into 20 mm Thru axle	20 / 110 mm MTB oversize (240s)	HWYXXX00S2480S														●			●		●							
	20 / 110 mm Boost MTB oversize (240s)	HWYXXX00S9666S														●			●		●							

- = Standard
- = Convertible with included accessories
- = Option, sold separately

¹⁾ Except 15 / 110 mm TA PS

This information is valid for MY 2019. Information from previous modelyears please find on our workbook / techbook at www.dtswiss.com

END CAP SOLUTION MTB REAR

Endcap Solution	Kit Art. No.	Convertible MTB wheels												Convertible MTB hubs														
		XRC 1200 SPLINE® (27.5, 29)	XR 1501 SPLINE® ONE (26, 27.5, 29)	X 1700 SPLINE® TWO (27.5, 29)	X 1900 SPLINE® (27.5, 29)	XMC 1200 SPLINE® (27.5, 29)	XM 1501 SPLINE® ONE (26, 27.5, 29)	M 1700 SPLINE® TWO (27.5, 29)	M 1900 SPLINE® (27.5, 29)	EXC 1200 SPLINE® (27.5, 29)	EX 1501 SPLINE® ONE (26, 27.5, 29)	E 1700 SPLINE® TWO (27.5, 29)	E 1900 SPLINE® (27.5, 29)	FR 1950 CLASSIC (27.5, except 150 mm)	FR 1950 CLASSIC (27.5, 150 mm only)	BR 2250 CLASSIC (26)	240s straightpull MTB db Center Lock	240s straightpull MTB db IS	240s Classic MTB db Center Lock	240s Classic MTB db IS	350 straightpull MTB db Center Lock	350 straightpull MTB db IS	350 Classic MTB db Center Lock Big Ride	350 Classic MTB db IS Big Ride	350 Classic MTB db Center Lock	350 Classic MTB db IS		
Convert into 5 mm Quick release	5 / 135 mm for 3-Pawl Shimano Rotor	HWGXXX0001528S			●			●				●																
	5 / 135 mm for 3-Pawl Shimano 12 MICRO SPLINE Rotor	HWYABM00S8811S			○			○				○																
	5 / 135 mm for 3-Pawl Sram XD MTB Rotor	HWGXXX00S3115S			○			○				○																
	5 / 135 mm for Ratchet Shimano Rotor	HWGXXX0001528S	●	●			●	●			●	●	○					●	●	●	●	●	●			●	●	
	5 / 135 mm for Ratchet Shimano 12 MICRO SPLINE Rotor	HWYABL00S8810S	○	○			○	○			○	○	○															
	5 / 135 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3115S	○	○			○	○			○	○	○															
	5 / 190 mm Big Ride for Ratchet Shimano Rotor	HWGXXX0001528S														○								○	○			
5 / 190 mm Big Ride for Ratchet Sram XD MTB Rotor	HWGXXX00S3115S														○								○	○				
Convert into 10 mm Thru bolt	10 / 135 mm for 3-Pawl Shimano Rotor	HWGXXX0001803S			○			○				○																
	10 / 135 mm for 3-Pawl Sram XD MTB Rotor	HWGXXX00S3218S			○			○				○																
	10 / 135 mm for Ratchet Shimano Rotor	HWGXXX0001803S	○	○			○	○			○	○	○					○	○	○	○	○	○			○	○	
	10 / 135 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3218S	○	○			○	○			○	○	○					○	○	○	○	○	○			○	○	

- = Standard
- = Convertible with included accessories
- = Option, sold separately

This information is valid for MY 2019. Information from previous modelyears please find on our workbook / techbook at www.dtswiss.com

END CAP SOLUTION MTB REAR

Endcap Solution		Convertible MTB wheels													Convertible MTB hubs															
		Kit Art. No.	XRC 1200 SPLINE® (27.5, 29)	XR 1501 SPLINE® ONE (26, 27.5, 29)	X 1700 SPLINE® TWO (27.5, 29)	X 1900 SPLINE® (27.5, 29)	XMC 1200 SPLINE® (27.5, 29)	XM 1501 SPLINE® ONE (26, 27.5, 29)	M 1700 SPLINE® TWO (27.5, 29)	M 1900 SPLINE® (27.5, 29)	EXC 1200 SPLINE® (27.5, 29)	EX 1501 SPLINE® ONE (26, 27.5, 29)	E 1700 SPLINE® TWO (27.5, 29)	E 1900 SPLINE® (27.5, 29)	FR 1950 CLASSIC (27.5, except 150 mm)	FR 1950 CLASSIC (27.5, 150 mm only)	BR 2250 CLASSIC (26)	240s straightpull MTB db Center Lock	240s straightpull MTB db IS	240s Classic MTB db Center Lock	240s Classic MTB db IS	350 straightpull MTB db Center Lock	350 straightpull MTB db IS	350 Classic MTB db Center Lock Big Ride	350 Classic MTB db IS Big Ride	350 Classic MTB db Center Lock	350 Classic MTB db IS			
Convert into 12 mm Thru axle	12 / 135 mm for 3-Pawl Shimano Rotor	HWGXXX0002218S				○				○				○																
	12 / 135 mm for 3-Pawl Sram XD MTB Rotor	HWGXXX00S3382S				○				○				○																
	12 / 135 mm for Ratchet Shimano Rotor	HWGXXX0002218S		○	○				○	○				○	○				○	○	○	○	○	○				○	○	
	12 / 135 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3382S		○	○				○	○				○	○				○	○	○	○	○	○				○	○	
	12 / 142 mm for 3-Pawl Shimano Rotor	HWGXXX0002193C				●				●				●																
	12 / 142 mm for 3-Pawl Sram XD MTB Rotor	HWGXXX00S3188S				○				○				○																
	12 / 142 mm for Ratchet Shimano Rotor	HWGXXX0002193C		●	●				●	●				●	●				●	●	●	○	●	○				○	○	
	12 / 142 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3188S		○	○				○	○				○	○				○	○	○	○	○	○				○	○	
	12 / 150 mm for Ratchet Shimano Rotor	HWGXXX0002218S															●													
	12 / 150 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3382S														○														
	12 / 157 mm for Ratchet Shimano Rotor	HWGXXX0002193C														○														○
	12 / 157 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3188S														○														○
	12 / 190 mm for Ratchet Shimano Rotor	HWGXXX0002218S																○								●				
	12 / 190 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3382S																○								○				
	12 / 197 mm for Ratchet Shimano Rotor	HWGXXX0002193C																●								●				
	12 / 197 mm for Ratchet Sram XD MTB Rotor	HWGXXX00S3188S																○								○				

- = Standard
- = Convertible with included accessories
- = Option, sold separately

This information is valid for MY 2019. Information from previous modelyears please find on our workbook / techbook at www.dtswiss.com

ROTOR KITS ROAD

	Model	Art. No.	Included		Convertible wheels								Convertible hubs						
			Rotor and end cap right	Rotor and end cap left and right	1100 DICUT® and 1100 DICUT® MC	1100 DICUT® db	1400 DICUT® and 1400 SPLINE®	1400 DICUT® and 1400 SPLINE® db	1600 DICUT® and 1600 SPLINE®	1600 DICUT® and 1600 SPLINE® db	1800 SPLINE®	1800 SPLINE® db	180 straightpull non disc	180 straightpull db	240 / 350 Road straightpull non disc	180 Road db Center Lock	240s straightpull Road db Center Lock	240s Road db Center Lock	350 straightpull Road db Center Lock
Convert into Shimano 11 speed; Ratchet	5/130 mm	HWYCBL00S5400S	●									○							
	5/130 mm	HWYABX00S2775S	●		○		●		●					●					
	5/130 mm (SL rotor)	HWYABX00S3184S	●		●		○		○					○					
	5/135 mm	HWYABX00S2775S	●															○	○
	5/135 mm	HWRABX00S2775S + HWGXXX0006383S		●		○		○		○						○		○	○
	10/135 mm	HWRABX00S2775S + HWGXXX0004634S		●													○	○	○
	10/135 mm	HWRABX00S2775S + HWGXXX0006560S		●		○		○		○						○		○	○
	12/135 mm	HWRABX00S2775S + HWGXXX0003910S		●													○		○
	12/135 mm	HWRABX00S2775S + HWGXXX0007569S		●		○		○		○						○		○	
	12/142 mm	HWYCBL00S5380S										○							
	12/142 mm	HWRABX00S2775S + HWGXXX0003525S		●													●		●
	12/142 mm	HWRABX00S2775S + HWGXXX0006333S		●		●		●		●						●		●	
Convert into Shimano 11 speed; 3 pawl	5/130 mm	HWYABM00S6151S	●							●									
	5/135 mm	HWYABM00S6151S	●									○							
	10/135 mm	HWRABM00S4188S + HWGXXX0006560S	●									○							
	12/135 mm	HWRABM00S4188S + HWGXXX0007569S	●									○							
	12/142 mm	HWYABM00S6152S	●									●							
Convert into Campagnolo 10/11 speed; Ratchet	5/130 mm	HWYCBL00S7068S	●		○		○		○			○		○					
	5/130 mm	HWYABX00S1296S	●		○		○		○				○						
	12/142 mm	HWYCBL00S7075S									○								
	12/142 mm	HWYABX00S7154S	●			○		○		○					○	○	○	○	
Convert into Campagnolo 10/11 speed; 3 pawl	5/130 mm	HWYABM00S6234S	●							○									
	12/142 mm	HWYABM00S7153S	●								○								

● = Standard
○ = Option, sold separately

Informations are valid for MY 2019.
For previous years please look on our techbook from previous years on www.dtswiss.com

ROTOR KITS ROAD

Model		Art. No.	Included		Convertible wheels								Convertible hubs							
			Rotor and end cap right	Rotor and end cap left and right	1100 DICUT® and 1100 DICUT® MC	1100 DICUT® db	1400 DICUT® and 1400 SPLINE®	1400 DICUT® and 1400 SPLINE® db	1600 DICUT® and 1600 SPLINE®	1600 DICUT® and 1600 SPLINE® db	1800 SPLINE®	1800 SPLINE® db	180 straightpull non disc	180 straightpull db	240 / 350 Road straightpull non disc	180 Road db Center Lock	240s straightpull Road db Center Lock	240s Road db Center Lock	350 straightpull Road db Center Lock	350 Road db Center Lock
Convert into Sram XDR; Ratchet	5 / 130 mm	HWYCBL00S5402S	●	○								○		○						
	5 / 130 mm	HWYABX00S8883S	●	○										○						
	12 / 142 mm	HWYCBL00S5383S										○								
	12 / 142 mm	HWYAAAX00S8888S	●			○		○		○						○		○		
Convert into Sram XDR; 3 pawl	5 / 130 mm	HWYABM00S5272S	●							○										
	12 / 142 mm	HWYAAAX00S0683S	●								○									

● = Standard
○ = Option, sold separately

Informations are valid for MY 2019.
For previous years please look on our techbook from previous years on www.dtswiss.com

ROTOR KITS MTB

Model		Included		Convertible wheels														Convertible hubs												
	Art. No.	Freehub body	End cap right	XRC 1200 SPLINE®	XMC 1200 SPLINE®	EXC 1200 SPLINE®	XR 1501 SPLINE® ONE	XM 1501 SPLINE® ONE	EX 1501 SPLINE® ONE	X 1700 SPLINE® TWO	M 1700 SPLINE® TWO	E 1700 SPLINE® TWO	X 1900 SPLINE®	M 1900 SPLINE®	E 1900 SPLINE®	FR 1950 CLASSIC (except 150 mm)	FR 1950 CLASSIC (150 mm only)	BR 2250 CLASSIC	180 straightpull Center Lock	240s straightpull Center Lock	240s straightpull IS (6-bolt)	240s Classic Center Lock	240s Classic db IS (6-bolt)	350 straightpull Center Lock	350 straightpull IS (6-bolt)	350 Classic Center Lock	350 Classic Center Lock Big Ride	350 Classic IS (6-bolt) Big Ride	350 Classic db IS (6-bolt)	
Convert into Sram XD 11 / 12; Ratchet	5 / 135 mm	HWYAA00S3115S	● ●				○ ○	○ ○	○ ○	○ ○	○ ○	○ ○				○ ○				○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○
	10 / 135 mm	HWYAA00S3218S	● ●				○ ○	○ ○	○ ○	○ ○	○ ○	○ ○				○ ○				○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○
	12 / 135 mm	HWYAA00S3382S	● ●				○ ○	○ ○	○ ○	○ ○	○ ○	○ ○				○ ○				○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○
	12 / 142 mm	HWYAA00S3188S	● ●				● ●	● ●	● ●	● ●	● ●	● ●				● ●				● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●
	12 / 148 mm	HWYAA00S3188S	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●				● ●				● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●	● ●
	12 / 150 mm	HWYAA00S3382S	● ●	● ●												● ●					○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○
	12 / 157 mm	HWYAA00S3188S	● ●	● ●												● ●					○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○	○ ○
	12 / 177 mm	HWYAA00S3188S	● ●	● ●													● ●										○ ○	○ ○	○ ○	○ ○
	12 / 190 mm	HWYAA00S3382S	● ●	● ●														● ●									○ ○	○ ○	○ ○	○ ○
12 / 197 mm	HWYAA00S3188S	● ●	● ●														● ●									○ ○	○ ○	○ ○	○ ○	
Convert into Sram XD 11 / 12; 3 pawl	5 / 135 mm	HWYAA00S3906S	● ●										○ ○	○ ○	○ ○															
	10 / 135 mm	HWYAA00S3907S	● ●										○ ○	○ ○	○ ○															
	12 / 135 mm	HWYAA00S3908S	● ●										○ ○	○ ○	○ ○															
	12 / 142 mm	HWYAA00S3909S	● ●										● ●	● ●	● ●															
	12 / 150 mm	HWYAA00S3908S	● ●										● ●	● ●	● ●	● ●														

● = Standard
 ● = Convertible with included accessories
 ○ = Option, sold separately

Find more information on:
www.dtswiss.com

ROTOR KITS MTB

Model		Included		Convertible wheels														Convertible hubs														
		Art. No.	Freehub body	End cap right	XRC 1200 SPLINE®	XMC 1200 SPLINE®	EXC 1200 SPLINE®	XR 1501 SPLINE® ONE	XM 1501 SPLINE® ONE	EX 1501 SPLINE® ONE	X 1700 SPLINE® TWO	M 1700 SPLINE® TWO	E 1700 SPLINE® TWO	X 1900 SPLINE®	M 1900 SPLINE®	E 1900 SPLINE®	FR 1950 CLASSIC (except 150 mm)	FR 1950 CLASSIC (150 mm only)	BR 2250 CLASSIC	180 straightpull Center Lock	240s straightpull Center Lock	240s straightpull IS (6-bolt)	240s Classic Center Lock	240s Classic db IS (6-bolt)	350 straightpull Center Lock	350 straightpull IS (6-bolt)	350 Classic Center Lock	350 Classic Center Lock Big Ride	350 Classic db IS (6-bolt)			
Convert into Shimano MTB 9 / 10 / 11; Ratchet	5 / 135 mm	HWYABX00S1239S	●	●				○	○	○	○	○	○				○				○	○	○	○	○	○	○	○	○	○		
	10 / 135 mm	HWYABX00S0897S	●	●				○	○	○	○	○	○				○				○	○	○	○	○	○	○	○	○	○		
	12 / 135 mm	HWYABX00S3746S	●	●				○	○	○	○	○	○				○				○	○	○	○	○	○	○	○	○	○		
	12 / 142 mm	HWYABX00S3745S	●	●				●	●	●	●	●	●				●					○	○	○	○	○	○	○	○	○	○	
	12 / 148 mm	HWYABX00S3745S	●	●				●	●	●	●	●	●				●					○	○	○	○	○	○	○	○	○	○	
	12 / 150 mm	HWYABX00S3746S	●	●														●					○	○	○	○	○	○	○	○	○	
	12 / 157 mm	HWYABM00S6150S	●	●														●					○	○	○	○	○	○	○	○	○	
	12 / 177 mm	HWYABX00S3745S	●	●																									○	○	○	
	12 / 190 mm	HWYABX00S3746S	●	●																									○	○	○	
12 / 197 mm	HWYABX00S3745S	●	●																									○	○	○		
Convert into Shimano MTB 9 / 10 / 11; 3 pawl	5 / 135 mm	HWYABM00S6147S	●	●										○	○	○																
	10 / 135 mm	HWYABM00S6148S	●	●										○	○	○																
	12 / 135 mm	HWYABM00S6149S	●	●										○	○	○																
	12 / 142 mm	HWYABM00S6150S	●	●										●	●	●																
	12 / 148 mm	HWYABM00S6150S	●	●										●	●	●	●															
12 / 150 mm	HWYABM00S6149S	●	●										○	○	○																	
Convert into Shimano 12 MICRO SPLINE; Ratchet EXP	12 / 148 mm	HWYCBLO0S5375S	●	●	●	●	●													○												
Convert into Shimano 12 MICRO SPLINE; Ratchet	5 / 135 mm	HWYABLO0S8810S						○	○	○	○	○	○														○	○	○	○	○	
	12 / 142 mm	HWYABLO0S2562S	●	●				○	○	○	○	○	○				○	○	○				○	○			○	○	○	○	○	
	12 / 148 mm	HWYABLO0S2562S						○	○	○	○	○	○				○	○	○		○	○	○	○	○	○	○	○	○	○	○	
Convert into Shimano 12 MICRO SPLINE; 3 pawl	5 / 135 mm	HWYABM00S8811S												○	○	○																
	12 / 142 mm	HWYABM00S4934S	●	●										○	○	○																
	12 / 148 mm	HWYABM00S4934S	●	●										○	○	○																

- = Standard
- = Convertible with included accessories
- = Option, sold separately

Find more information on:
www.dtswiss.com

ROTOR KITS HYBRID

Model			Included		Convertible wheels					Convertible hubs			
		Art. No.	Freehub body	End cap right	HXC 1200 SPLINE®	HX 1501 SPLINE®	H 1700 SPLINE®	H 1900 SPLINE®	H 1950 CLASSIC	240s Classic HYBRID db IS (6-bolt) BOOST	350 Classic HYBRID db IS (6-bolt) BOOST	240s Classic HYBRID db IS (6-bolt)	350 Classic HYBRID db IS (6-bolt)
Convert into Sram XD 11/12; Ratchet	12/148 mm TA	HWYAA00S5036S	●	●	●	●	●			○	○		
Convert into Sram XD 11/12; Ratchet	12/142 mm TA	HWYAA00S5036S	●	●								○	○
Convert into Sram XD 11/12; 3 pawl	12/148 mm TA	HWYABM00S5573S	●	●				●					
Convert into Sram XD 11/12; 3 pawl	12/142 mm TA	HWYABM00S5573S	●	●					○				
Convert into Shimano 11 speed; Ratchet	12/148 mm TA	HWYABX00S5569S	●	●	●/○	●/○	●/○			●	●		
Convert into Shimano 11 speed; Ratchet	12/142 mm TA	HWYABX00S5569S	●	●								●	●
Convert into Shimano 11 speed; 3 pawl	12/148 mm TA	HWYABM00S5571S	●	●				●					
Convert into Shimano 11 speed; 3 pawl	12/142 mm TA	HWYABM00S5571S	●	●					●				
Convert into Shimano 12 MICRO SPLINE; Ratchet	12/148 mm TA	HWYABL00S4935S	●	●	●/○	●/○	●/○			●	○		
Convert into Shimano 12 MICRO SPLINE; Ratchet	12/142 mm TA	HWYABL00S4935S	●	●								○	○
Convert into Shimano 12 MICRO SPLINE; 3 pawl	12/148 mm TA	HWYABM00S4934S	●	●				●/○					
Convert into Shimano 12 MICRO SPLINE; 3 pawl	12/142 mm TA	HWYABM00S4934S	●	●					○				

- = Standard
- = Convertible with included accessories
- = Option, sold separately
- * = Not for 25 mm rim inner width version

Find more information on:
www.dtswiss.com